

MOM-004 STORAGE SOLUTION

Storage Solution for Mansions of Madness™ Streets of Arkham Expansion Box

Complete insert kit providing storage for miniatures, cards, and tokens



Construction Tips

- 1) Each piece should be removed from the frames with gentle pressure back and forth. You should not need a knife to cut pieces free.
- 2) Our inserts are designed to be glued together. We use Sobo craft glue, but any glue that is tacky and dries clear will work fine. Tacky glue assists with building as it holds better during construction. You can use painter's/masking tape for some joins, but glue is always best.
- 3) Keep some paper towels handy for cleanup during build.
- 4) Ensure you cleanup excess glue as you build. This is especially important in card lanes where dividers will be used or in spaces where a tray will be stored.
- 5) Check the build diagram included in the package for reference, including all parts, as well as build tips specific to this insert.
- 6) Always dry fit pieces first to ensure a good fit and to better understand how the kit goes together.
- 7) Allow your finished insert to dry overnight.
- 8) You can optionally sand and even stain your insert.
- 9) Don't hesitate to reach out to us if you have questions!

Visit go7gaming.com for a large selection of storage solutions. Follow us on Twitter: [@go7gaming](https://twitter.com/go7gaming) and Facebook: [go7gaming](https://www.facebook.com/go7gaming)



Made in the USA




NOT A CHILDREN'S TOY

AGE 14+



6 80577 93090 2

Build Instructions




Please reference the diagrams to understand how each component fits together. Also, dry fit the pieces to understand how it goes together and ensure everything is oriented properly before applying glue. Finally, cleanup excess glue to ensure a proper fit and finish, especially in card areas.

Building the Small Card Trays (2x)

These two small card trays provide storage for your small cards.


- 1) Lay base (A) down on your workspace. Apply glue to the bottom and both ends of long outer wall (B) and connect to base (A).
- 2) Next, place glue on the side tabs and bottom of end wall (C) and connect.
- 3) Next, place glue on the bottom of the other long outer wall (B) and connect on the opposite side.
- 4) Finally, place glue on the side tabs and bottom of end wall (C) and connect.
- 5) After allowing the tray to dry for five minutes, you can place a few dividers in the tray to ensure a perfect fit once dry.



Building the Investigator Tray




This tray is designed to hold as many as fifteen (15) investigators.

Please note that you **MUST** remove all excess glue when building this tray or your minis will not slide in smoothly (or at all). Also note the proper orientation when attaching rails on the supports and walls. Dry fit this tray continuously as you construct it to ensure you build the rails in the proper orientation.



- 1) Lay base (D) down on your workspace. Note the "E" and "F" etchings on the base need to match up with the "E" and "F" walls.
- 2) Next, apply glue to the tabs on long rail (I) and connect to end wall (G). Repeat on the opposite end wall (G). Note orientation in the image.
- 3) Next, apply glue to the two tabs on long rail (I) and connect to long support (H). Note orientation in the image. Repeat for the other three long supports (H). Two of these have rails (I) facing inward and two facing outwards.
- 4) Next, place glue on the side tabs of the two long supports (H) and connect to tall wall (F). Tall wall (F) is etched with "F". **Note:** the rails (I) face **AWAY** from each other once placed.
- 5) Next, place glue on the side tabs of the two long supports (H) and connect to tall wall (E). Tall wall (E) is etched with "E". **Note:** the rails (I) face **INWARD** once placed.
- 6) Next, place glue on the bottom of tall wall (E) and on the bottom tab of the long supports (H) and connect to base (D).
- 7) Next, place glue on the bottom and both sides of end wall (G) and connect. Repeat for the other end wall (G).
- 8) Finally, place glue on the bottom of tall wall (F) and on the bottom tab of the long supports (H) and connect.

Build Instructions





Please reference the diagrams to understand how each component fits together. Also, dry fit the pieces to understand how it goes together and ensure everything is oriented properly before applying glue. Finally, cleanup excess glue to ensure a proper fit and finish, especially in card and rail areas.

Building the Investigator Card Tray

This tray is designed to store the investigator cards (sleeved or unsleeved) and also offers a bonus compartment for dice or future tokens.

- 1) Place base (A) down on your workspace in the orientation noted.
- 2) Next, place glue on the bottom and side tabs of the end wall (C) and connect to base (A).
- 3) Next, place glue on the bottom of outer wall (B) and connect. Repeat on the other side.
- 4) Next, place glue on the bottom and side tabs of outer wall (C) and connect.
- 5) Finally, place glue on the side tabs of divider (D) and connect.



Building the Shallow Token Tray



This token tray provides storage for improvement tokens, blue tokens, and has an open compartment for future tokens.

- 1) Place base (E) down on your workspace in the orientation noted.
- 2) Next, apply glue to the bottom and side tabs of wall (F) and connect in the center of base (A).
- 3) Next, apply glue to the center slot and side tabs of divider (G) and connect. Repeat for the other two dividers (G).
- 4) Next, apply glue to the bottom of outer wall (H) and connect. Repeat on the other side.
- 5) Finally, apply glue to the bottom and side tabs of outer wall (F) and connect. Repeat on the other side.

Building the Large Token Tray

This raised tray provides storage for person tokens and other tokens of a similar size, including tokens released in the base game and well as previous expansions.

- 1) Place base (I) down on your workspace in the orientation noted.
- 2) Next, apply glue to the side tabs of end wall (K) and the tab on the end of base (I) and connect. Repeat on the other side.
- 3) Next, apply glue to two tabs on the long side of base (I) and connect outer wall (J). Repeat on the other side.
- 4) Finally, apply glue to the side tabs of divider wall (L) and connect to the tray. Repeat for the other five divider walls.
- 5) Once the tray has had five minutes to dry, place some dividers to ensure a perfect fit.






Building the Clue Token Tray

This raised clue token tray provides a convenient, self-contained solution for your growing collection of clue tokens.

Be sure to dry fit and place the proper walls on the proper sides of this tray before gluing.

- 1) Place base (M) down on your workspace in the orientation noted.
- 2) Next, apply glue on the bottom tab of handle (N) and connect to base (M).
- 3) Next, apply glue on the side tab of base (M) and side tabs of the outer wall (O) and connect to base (M). Repeat on the other side.
- 4) Next, apply glue on the side tab of base (M) and connect outer wall (P) to base (M). Repeat on the other side.

Build Instructions




Building the Minis Tray

The minis tray provides storage for eleven (11) small, two (2) medium, and two (2) large monster minis.

It is essential that you dry fit each wall and the entire tray as you apply glue to ensure that you place the rail assemblies properly with the rails on the proper sides. As noted below, three of the rail assemblies have rails on both sides, but four of the long rail assemblies have a rail only on the one side and the same is true of the short (K/L) rail assembly (five total rail assemblies have a rail on only one side). Rails are highlighted in blue below with text identifying single/double rail assemblies. Cleanup all excess glue when building and attaching rail assemblies or the minis will not slide freely into the rails.

- 1) Place base (E) down on your workspace in the orientation noted. When preparing to connect the rail assemblies later, it is helpful to have all the walls laid out around the base so you can visually compare your decisions to the image below.
- 2) Next, construct the three double-sided rail assemblies by gluing a rail (I) to each side of a rail support (J).
- 3) Next, construct the four tall and one short single-sided rail assemblies by gluing a rail (I/K) to the proper side of rail support (J/L). Dry fit the assembly on the walls to determine the proper side to glue the rail (I) to (rails are colored blue).
- 4) Next, apply glue on the tab of support (H) and connect to tall inner wall (G) and then apply glue to the bottom of tall inner wall (G) and connect to base (E). The Go7 Gaming logo is on the opposite of tall inner wall (G) pictured below.
- 5) Next, apply glue on the bottom of short inner wall (F) and connect.
- 6) Next, apply glue on the tabs of large support (Z) and connect to outer wall (M).
- 7) Next, apply glue on the side tabs of a single rail assembly built in step #3 and two rails (I) and connect to outer wall (N).
- 8) Next, apply glue on the left side tab of outer wall (N) and connect to outer wall (M).
- 9) Next, apply glue to the right side tabs of inner walls (F, G), the bottom tab of the rail assembly connected to outer wall (N), the bottom tab of the support (Z) connected to outer wall (M), and the bottom of the outer walls (M, N) and connect to base (E).
- 10) Next, apply glue to the tab on support (H) and connect to the inside of outer wall (Q) and the place glue on the bottom and side tabs of outer wall (Q) and connect to base (E).
- 11) Next, apply glue to the side tabs on a single-sided rail assembly built in step #3 and connect to outer wall (R).



- 12) Next, apply glue to the side tabs of inner walls (F, G) and the bottom of outer wall (R) and connect to base (E).
- 13) Next, apply glue to the side tabs on a single-sided rail assembly built in step #3 and connect to outer wall (P).
- 14) Next, apply glue to the side tabs and bottom of outer wall (P), the bottom of the rail assembly, and connect to base (E).

- 15) Next, apply glue to the side tabs of three double rail assemblies built in step #2, a tall single rail assembly built in step #3, a short rail assembly built in step #3, and a rail (I), and connect to outer wall (O).
- 16) Next, place glue on the bottom of outer wall (O), the bottom tabs on the rail assemblies, and connect to base (E).

Please ensure you check all rail assemblies to ensure you have cleaned up the glue allowing the minis to slide in and out freely.